

[illegible]

```

MM      MM      AAAAAA      PPPPPPPP
MM      MM      AAAAAA      PPPPPPPP
MMMM    MMMM    AA          AA      PP          PP
MMMM    MMMM    AA          AA      PP          PP
MM      MM      MM      AA          AA      PP          PP
MM      MM      MM      AA          AA      PP          PP
MM      MM      MM      AA          AA      PPPPPPPP
MM      MM      MM      AA          AA      PPPPPPPP
MM      MM      AAAAAAAAAA      PP
MM      MM      AAAAAAAAAA      PP
MM      MM      AA          AA      PP
MM      MM      AA          AA      PP
MM      MM      AA          AA      PP
MM      MM      AA          AA      PP

```

2 U
A T
LIN

+-----+
! Object Module Synopsis !
+-----+

Module Name	Ident	Bytes	File	Creation Date	Creator
SATSUT10	V04-000	134	_\$255\$DUA28:[UETPSY.OBJ]UETPSY.OLB;1	16-SEP-1984 01:08	VAX/VMS Macro V04-00
SYS	V04-000	0	_\$255\$DUA28:[SYSOBJ]SYS.STB;1	16-SEP-1984 04:00	VAX-11 Linker V04-00
SYS\$P1_VECTOR	V04-000	0	_\$255\$DUA28:[SYSLIB]STARLET.OLB;2	16-SEP-1984 00:40	VAX/VMS Macro V04-00

+-----+
! Image Section Synopsis !
+-----+

Cluster	Type	Pages	Base Addr	Disk VBN	PFC	Protection and Paging	Global Sec. Name	Match	Majorid	Minorid
DEFAULT_CLUSTER	0	1	00000200	2	0	READ ONLY				
	0	1	00000400	3	0	READ WRITE	COPY ON REF			
	0	1	00000600	4	0	READ WRITE	FIXUP VECTORS			
	253	20	7FFFD800	0	0	READ WRITE	DEMAND ZERO			

Key for special characters above:

+-----+
R - Relocatable
P - Protected
+-----+

! Program Section Synopsis !

Psect Name -----	Module Name -----	Base ----	End ---	Length -----	Align -----	Attributes -----
RODATA	SATSUT10	00000200	00000224	00000025 (37.) BYTE 0	NOPIC,USR,CON,REL,LCL,NOSHR,NOEXE, RD,NOWRT,NOVEC
		00000200	00000224	00000025 (37.) BYTE 0	
SATSUT10	SATSUT10	00000400	00000460	00000061 (97.) BYTE 0	NOPIC,USR,CON,REL,LCL,NOSHR, EXE, RD, WRT,NOVEC
		00000400	00000460	00000061 (97.) BYTE 0	

+-----+
! Symbol Cross Reference !
+-----+

Symbol	Value	Defined By	Referenced By ...
SYSSASCEFC	7FFEDE40	SYSP1_VECTOR	SATSUT10
SYSSDACEFC	7FFEDED0	SYS	SATSUT10
SYSSHIBER	7FFEDF88	SYS	SATSUT10
SYSSK_VERSION	48513258	SYS	
SYSSWAKE	7FFEE080	SYSP1_VECTOR	SATSUT10

: Symbols By Value :

Value

Symbols...

48513258	SYSSK_VERSION
7FFFE40	SYSSASCEFC
7FFFE40	SYSSDACEFC
7FFFE40	SYSSHIBER
7FFFE40	SYSSWAKE

Key for special characters above:

: * - Undefined
: U - Universal
: R - Relocatable
: X - External

! Image Synopsis !

Virtual memory allocated:
Stack size:
Image header virtual block limits:
Image binary virtual block limits:
Image name and identification:
Number of files:
Number of modules:
Number of program sections:
Number of global symbols:
Number of cross references:
Number of image sections:
User transfer address:
Image type:
Map format:
Estimated map length:

00000200 000007FF 00000600 (1536. bytes, 3. pages)

20. pages

1.

1. (1. block)

2.

4. (3. blocks)

SATSUT10 V04-000

5.

3.

6.

4.

9.

4.

00000400

EXECUTABLE.

FULL WITH CROSS REFERENCE in file _\$255\$DUA28:[UETPSY.LIS]SATSUT10.MAP;1

19. blocks

! Link Run Statistics !

Performance Indicators

	Page Faults	CPU Time	Elapsed Time
Command processing:	91	00:00:00.19	00:00:00.29
Pass 1:	94	00:00:00.82	00:00:01.86
Allocation/Relocation:	25	00:00:00.08	00:00:00.27
Pass 2:	29	00:00:00.16	00:00:00.52
Map data after object module synopsis:	10	00:00:00.09	00:00:00.09
Symbol table output:	1	00:00:00.03	00:00:00.13
Total run values:	250	00:00:01.37	00:00:03.16

Using a working set limited to 900 pages and 35 pages of data storage (excluding image)

Total number object records read (both passes): 182
of which 33 were in libraries and 2 were DEBUG data records containing 62 bytes

Number of modules extracted explicitly = 1
with 1 extracted to resolve undefined symbols

2 library searches were for symbols not in the library searched

A total of 0 global symbol table records was written

LINK/USERLIB=PROC/EXE=EXES:SATSUT10/NOTRACE/MAP=MAPS:SATSUT10/FULL/CROSS LIB\$:UETPSY.OLB/INCLUDE=(SATSUT10),EXSM:SYS.STB/SELECTIVE

0416

**DIGITAL
CONFIDE**

EQUIPMENT
TIAL AND

CORPORATION
PROPRIETARY